

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:	1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:	1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL SDS QUESTIONS & REQUESTS, CALL:	1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: **ROBARB POOL SPECIALTIES pH UP**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

### Supplier

**Robarb**  
1400 Bluegrass Lakes Parkway ,  
Alpharetta, GA, 30004  
USA

**Telephone: +17705215999**  
**Telefax: +17705215959**  
**Web: www.poolspacare.com**

REVISION DATE:	05/26/2015
SUPERCEDES:	06/01/2009
MSDS Number:	000000024500
SYNONYMS:	
CHEMICAL FAMILY:	None
DESCRIPTION / USE	None established
FORMULA:	None established

### Manufacturer

**Advantis Technologies**  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004  
United States of America

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Eye irritation	:	Category 2A
Acute toxicity (Inhalation)	:	Category 4

### GHS Label element

Hazard pictograms	:	
-------------------	---	---

Signal word	:	Warning
-------------	---	---------

- Hazard statements : H319 Causes serious eye irritation.  
H332 Harmful if inhaled.
- Precautionary statements : **Prevention:**  
P261 Avoid breathing vapours.  
P264 Wash hands thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
Sodium carbonate	497-19-8	99 - 100

**SECTION 4. FIRST AID MEASURES**

- Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
- Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention.
- Eye Contact: IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation develops.
- Ingestion: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

---

## SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

### Flammable Properties

Flash Point: Not applicable  
Autoignition Temperature: Not applicable  
Fire / Explosion Hazards: Material will not ignite or burn.  
Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Fire Fighting Instructions: Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.  
Hazardous Combustion Products: Carbon monoxide, Carbon dioxide, Sodium oxide  
Upper Flammable / Explosive Limit, % in air: Not applicable  
Lower Flammable / Explosive Limit, % in air: Not applicable

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

### Spill Mitigation Procedures

Air Release: Not applicable  
Water Release: This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so.  
Land Release: Sweep up and shovel into suitable containers for disposal. Avoid dust generation. Do not place spill materials back in their original containers. After removal, flush contaminated area thoroughly with water.  
Additional Spill Information : Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas.

---

## SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing dust.  
Storage: Store in a cool, dry and well ventilated place. Isolate from incompatible materials.  
Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation is recommended if significant dusting occurs.  
Otherwise use general exhaust ventilation.

### Protective Equipment for Routine Use of Product

Respiratory Protection : Respiratory protection not normally needed., If dusting occurs, wear a NIOSH approved N95 dust respirator.  
Skin Protection : Impervious gloves  
Eye Protection: Chemical resistant goggles must be worn.  
Protective Clothing Type: Natural rubber, Neoprene, Nitrile  
General Protective Measures: Ensure that eyewash stations and safety showers are close to the workstation location.

### Components with workplace control parameters

no data available

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	solid
Form	No data.
Color:	No data.
Odor:	No data.
Molecular Weight:	None established
pH :	11.0 - 12.0 ( ) 10 g/l (as aqueous solution)
Boiling Point:	Decomposes before boiling
Melting point/freezing point	1,564.0 °F (851.1 °C)
Density	1.04 g/cm <sup>3</sup>
Bulk Density:	( ) no data available
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Viscosity:	no data available
Solubility in Water:	320 g/l 77 °F (25 °C)
Partition coefficient n-octanol/water:	No data
Evaporation Rate:	Not applicable
Oxidizing:	None established
Volatiles, % by vol.:	Not applicable
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

## SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions., Product will not undergo hazardous polymerization.

Conditions to Avoid: Heat, Exposure to moist air or water

Chemical Incompatibility: Aluminum powder, Acids

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Sodium oxide

Decomposition Temperature: 400 °C

## SECTION 11. TOXICOLOGICAL INFORMATION

### Component Animal Toxicology

#### Oral LD50 value:

Sodium carbonate LD50 = 4,090 mg/kg Rat

### Component Animal Toxicology

#### Dermal LD50 value:

Sodium carbonate LD50 Believed to be > 2,000 mg/kg Rabbit

### Component Animal Toxicology

#### Inhalation LC50 value:

Sodium carbonate LC50 1 h = 4.6 mg/l Rat

### Product Animal Toxicity

Oral LD50 value: LD50 = 4,090 mg/kg Rat

Dermal LD50 value: LD50 Believed to be > 2,000 mg/kg Rabbit

Inhalation LC50 value: LC50 1 h = 4.6 mg/l Rat

#### value:

Skin Irritation: May cause mild skin irritation.

Eye Irritation: Moderate eye irritant

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity: Contact with the eyes and mucous membranes causes transient irritation. Minor corneal involvement may occur if product is not rinsed immediately from the eyes. Inhalation may cause irritation. Contact with skin causes irritation.

Subchronic / Chronic Toxicity: Damage to lungs has been observed in laboratory animals from repeated inhalation of high concentrations (70 mg/m<sup>3</sup>). This damage is characterized by thickening of the walls of the air sacs and a low grade of pulmonary inflammation. The risk to human health is low due to the high concentration required to produce the effect., Repeated or prolonged skin contact with this product may cause dermatitis and blistering.

Sodium carbonate

Male rats were exposed to an aerosol of 2% aqueous solution of this chemical, 4 hr.day, 5 days/week for 3-1/2 months. No effect was observed at a concentration of

10 or 20 mg/cubic meter. At 70 mg/cubic meter weight gain was decreased and the lungs showed thickening of the intra-alveolar walls, hyperemia, and lymphoid infiltration., Repeated or prolonged skin contact with this product may cause dermatitis and blistering.

Reproductive and Developmental Toxicity: This chemical has been tested in laboratory animals and no evidence of teratogenicity was seen.

Sodium carbonate

This chemical has been tested in laboratory animals and no evidence of teratogenicity was seen.

Mutagenicity: This product was determined to be non-mutagenic in the Ames assay. It was also shown to be non-clastogenic in the chromosomal aberration test.

Sodium carbonate

This product was determined to be non-mutagenic in the Ames assay. It was also shown to be non-clastogenic in the chromosomal aberration test.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

## SECTION 12. ECOLOGICAL INFORMATION

Overview: Practically non- toxic to fish and other aquatic organisms.

### Ecological Toxicity Values for: Sodium carbonate

Pimephales promelas (fathead minnow)	- (nominal, static). 96 h LC50 < 850 mg/l
Bluegill	- (nominal, static). 96 h LC50 = 320 mg/l
Mosquito fish	- (nominal, static). 96 h LC50 = 740 mg/l
Daphnia magna,	- (nominal, static). 48 h LC50= 265 mg/l
Ceriodaphnia dubia	- (nominal) 48 h EC50= 199.82 mg/l
Navicula seminulum (diatom)	- (nominal, static). 96 h EC50 = 242 mg/l

## SECTION 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it DOES NOT meet the criteria of a

hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. As a nonhazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

---

## SECTION 14. TRANSPORT INFORMATION

**DOT**

Not dangerous goods

**TDG**

Not dangerous goods

**IATA**

Not dangerous goods

**IMDG-CODE**

Not dangerous goods

---

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

**SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations****Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know**

Sodium carbonate 497-19-8

**New Jersey Right To Know**

Sodium carbonate 497-19-8

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

**SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: First formulated version in SAP.  
Major References : Available upon request.



## SAFETY DATA SHEET

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .